

The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- TECHNICAL TRANSLATION.
 English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at http://www.sti.nasa.gov/STI-homepage.html
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to: NASA Access Help Desk

NASA Access Help Desk NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

NASA/TM-2000-209891, Vol. 234



Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Sara K. Conrad, Editors

Volume 234 BOREAS TGB-7 Ambient Air Herbicide and Organochlorine Concentration Data

Don Waite Environment Canada, Regina, Saskatchewan

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

| | A!1-1-1 C | |
|---------------------------------------|-----------------|--|
| | Available from: | |
| | | |
| NASA Center for AeroSpace Information | | National Technical Information Service |
| 7101 G. 1 1D. | | |
| 7121 Standard Drive | | 5285 Port Royal Road |
| Hanover, MD 21076-1320 | | Springfield, VA 22161 |
| Price Code: A17 | | Price Code: A10 |
| THE COUE, AT | | rnce Coue. A10 |
| | | |
| | | |

BOREAS TGB-7 Ambient Air Herbicide and Organochlorine Concentration Data

Don Waite

Summary

The BOREAS TGB-7 team measured the concentration and flux of several agricultural pesticides in air, rainwater, and dry deposition samples in order to determine the associated yearly deposition rates. This data set contains information on the ambient air concentration of seven herbicides [2,4-dichlorophenoxyacidic_acid (2,4-D), bromoxynil, dicamb, 2-methyl-4-chlorophenoxyacetic acid (MCPA), triallate, trifluralin, and diclop-methyl] known to appear in the atmosphere of the Canadian prairies. Also, the concentration of three herbicides (atrazine, alachlor, and metolachlor), two groups of insecticides (lindane and breakdown products and dichloro-diphenyl-trichloroethane (DDT) and breakdown products), and several polychlorinated biphenyls commonly used in the central United States was measured. All of these chemicals are reported, in the literature, to be transported in the atmosphere. Many have been reported to occur in boreal and arctic food chains. The sampling was carried out from 16-Jun to 13-Aug-1993 and 04-May to 20-Jul-1994 at the BOREAS site in the Prince Albert National Park (Waskesiu). The data are stored in tabular ASCII files.

Table of Contents

- 1) Data Set Overview
- 2) Investigator(s)
- 3) Theory of Measurements
- 4) Equipment
- 5) Data Acquisition Methods
- 6) Observations
- 7) Data Description
- 8) Data Organization
- 9) Data Manipulations
- 10) Errors
- 11) Notes
- 12) Application of the Data Set
- 13) Future Modifications and Plans
- 14) Software
- 15) Data Access
- 16) Output Products and Availability
- 17) References
- 18) Glossary of Terms
- 19) List of Acronyms
- 20) Document Information

1. Data Set Overview

1.1 Data Set Identification

BOREAS TGB-07 Ambient Air Herbicide and Organochlorine Concentration Data

1.2 Data Set Introduction

This data set contains herbicide and organochlorine concentrations in ambient air samples collected from Waskesiu.

1.3 Objective/Purpose

The objective of this study was to measure the ambient air concentration of herbicides and organochlorines in the boreal forest at Waskesiu.

1.4 Summary of Parameters and Variables

This data set contains herbicide and organochlorine concentrations in air samples collected Waskesiu.

1.5 Discussion

The deposition into the boreal forest of seven herbicides [2,4-dichlorophenoxyacidic acid (2,4-D), bromoxynil, dicamba, 2-methyl-4-chlorophenoxyacetic acid (MCPA), triallate, trifluralin, and diclop-methyl] known to appear in the atmosphere of the Canadian prairies, three herbicides (atrazine, alachlor, and metolachlor) commonly used in the central United States, two groups of insecticides (lindane and breakdown products and dichloro-diphenyl-trichloroethane (DDT) and breakdown products), plus several polychlorinated biphenyls was measured. All of these chemicals are reported, in the literature, to be transported in the atmosphere. Many have been reported to occur in boreal and arctic food chains. The sampling was carried out at the BOReal Ecosystem-Atmosphere Study (BOREAS) site in the Prince Albert National Park (PANP) (Waskesiu).

1.6 Related Data Sets

BOREAS TGB-07 Dry Deposition Herbicide and Organochlorine Flux Data BOREAS TGB-07 Rainwater Herbicide and Organochlorine Concentration Data BOREAS TGB-09 Above-Canopy NMHC at SSA-OBS, SSA-OJP, and SSA-OA Sites BOREAS TGB-10 Volatile Organic Carbon Data over the SSA BOREAS TGB-10 Oxidant Concentration Data over the SSA BOREAS TGB-10 Oxidant Flux Data over the SSA

2. Investigator(s)

2.1 Investigator(s) Name and Title

Don Waite Environment Canada

Allan Cessna Agriculture and Agri-Foods Canada

Narine Gurprasad Environment Canada

2.2 Title of Investigation

Atmospheric Transport of Agricultural Pesticides into the Boreal Ecosystem

2.3 Contact Information

Contact 1:

Dr. Don Waite Environment Canada Room 300 park Plaza 2365 Albert Street Regina, Saskatchewan S4p 4k1 Canada (306) 780-6438 (306) 780-7614 (fax) Don.Waite@EC.GC.CA

Contact 2:

Jeffrey A. Newcomer Raytheon ITSS Code 923 NASA GSFC Greenbelt, MD 20771 (301) 286-7858 (301) 286-0239 (fax) Jeffrey.Newcomer@gsfc.nasa.gov

3. Theory of Measurements

Each sample consisted of approximately 2100 m³ of air aspirated by a high-volume sampler (Model PS-1, General Metal Works, Village of Cleves, OH). The sampling unit consisted of a 102-mm-diameter borosilicate filter in front of a composite polyurethane foam (PUF)/XAD-2 resin plug (Cessna et al., 1997). The sampler operated continuously for 7 days for each sample.

4. Equipment

4.1 Sensor/Instrument Description

4.1.1 Collection Environment

The data were collected under all environmental conditions.

4.1.2 Source/Platform

Ground.

4.1.3 Source/Platform Mission Objectives

None given.

4.1.4 Key Variables

The key variable is herbicide or organochlorine concentration in ambient air.

4.1.5 Principles of Operation

Ambient air samples were collected with a GM Manufacturing Company Hi-Volume sampler fitted with a glass fiber pre-filter and a composite PUF/XAD-2 resin cartridge. Air is drawn through the filtering unit by means of a vacuum pump. For this study, the pump operated continuously for 7-day sampling periods.

4.1.6 Sensor/Instrument Measurement Geometry

PUF Sampler: A high-volume air sampler collecting ambient concentrations of material on a sampling unit consisting of a glass fiber filter followed by a PUF plug and XAD-2 resin cartridge.

4.1.7 Manufacturer of Sensor/Instrument

None given.

4.2 Calibration

4.2.1 Specifications

The samplers operated 24 hours per day over each 7-day sampling period. The PUF samplers were calibrated to aspirate 2100 m³ over the 7-day sampling period. The air flow through the PUF/XAD-2 sampling unit (12.5 m³/hr) was calibrated using a Sierra-Misco, Inc. (Berkeley, CA) orifice head and air flow was monitored during operation by integral Venturi/Magnahelic gauges. The PUF/XAD-2 sampling unit consisted of a borosilicate prefilter and 25 mL of XAD-2 resin sandwiched between two PUF plugs (Cessna et al., 1997).

4.2.1.1 Tolerance

None given.

4.2.2 Frequency of Calibration

None given.

4.2.3 Other Calibration Information

None.

5. Data Acquisition Methods

The herbicide analyses were carried out at the Agriculture and Agri-Food Canada Research Station at Regina, Saskatchewan, whereas insecticide and organochlorine analysis was carried out by the Environment Canada laboratory in Edmonton, Alberta. All residues were quantified and confirmed using a Hewlett-Packard gas chromatograph equipped with a mass selective detector (GC-MSD).

Extraction of PUF/XAD-2 Sampling Units:

On alternate weeks, the PUF/XAD-2 sampling units were extracted for herbicide or for insecticide and organochlorine content. For herbicide analysis, the sampling unit was Soxhlet extracted for 8 h with acetone (Grover et al., 1994). The acetone extract was concentrated to ~0.5 mL using a rotary evaporator (water bath 30 °C) and then methylated with ethereal diazomethane. The methylated extract was subjected to Florisil column cleanup prior to analysis by GC-MSD. For insecticide and organochlorine analysis, the PUF sampling unit was Soxhlet extracted for 12 h with dichloromethane. The extract was concentrated using a rotary evaporator and then subjected to Florisil column cleanup prior to analysis by GC-MSD.

Residue Analysis and Confirmation:

The Hewlett-Packard GC-MSD system and operating conditions used for herbicide residue analysis have been described previously (Cessna et al., 1997). A similar GC-MSD system was used for insecticide and organochlorine analysis; however, the column employed was a 30 m x 0.25 mm I.D. Rtx-5 column (0.25-µm film thickness). For operation of the GC, helium was used as the carrier gas and the temperature program was initially held at 80 °C for 1 minute and then ramped to 200 °C at 15 °C/min; then it was held at 200 °C for 5 minutes, increased at 8 °C/min to 300 °C, and held for 10 minutes. A split/splitless injector was used in the splitless mode. Injection port and transfer line temperatures were 270 °C and 280 °C, respectively.

Depending on the compound, from two to four ions were monitored on the MSD. The presence of each compound was considered to be confirmed if all ions monitored were present, a peak appeared at the retention time (\pm 0.02 min) obtained for a standard solution of the pesticide in the reconstructed chromatiograms of all ions, and the peak area ratio was within 30% of the ratio obtained using a standard solution of the pesticide.

6. Observations

6.1 Data Notes

None.

6.2 Field Notes

None.

7. Data Description

7.1 Spatial Characteristics

7.1.1 Spatial Coverage

The North American Datum of 1983 (NAD83) coordinates for the Southern Study Area (SSA) measurement site are:

| | Longitude | Latitude | | |
|----------|------------|-----------|--|--|
| | | | | |
| Waskesiu | 106.067° W | 53.917° N | | |

7.1.2 Spatial Coverage Map

None given.

7.1.3 Spatial Resolution

The measurements were made at a single location in the SSA.

7.1.4 Projection

Not applicable.

7.1.5 Grid Description

Not applicable.

7.2 Temporal Characteristics

7.2.1 Temporal Coverage

The data were collected from 16-Jun to 13-Aug-1993 and 04-May to 20-Jul-1994.

7.2.2 Temporal Coverage Map

All the data were collected at the same location.

7.2.3 Temporal Resolution

The samplers operated 24 hours per day over each 7-day sampling period.

7.3 Data Characteristics

7.3.1 Parameter/Variable

The parameters contained in the data files on the CD-ROM are:

Column Name _____ SITE NAME SUB SITE START DATE END DATE BROMOXYNIL CONC DICAMBA CONC 2,4-D CONC MCPA CONC DICLOFOP CONC TRIALLATE CONC TRIFLURALIN CONC ALACHLOR CONC ATRAZINE CONC METOLACHLOR CONC ALPHA-HCH CONC GAMMA-HCH CONC 4,4'-DDE CONC 4,4'-DDD CONC 4,4'-DDT CONC TETRACHLORO-BIPHENYL CONC PENTACHLORO-BIPHENYL CONC HEXACHLORO-BIPHENYL CONC OCTACHLORO-BIPHENYL CONC DICHLORO-BIPHENYL CONC TRICHLORO-BIPHENYL CONC CRTFCN CODE REVISION DATE

7.3.2 Variable Description/Definition

The descriptions of the parameters contained in the data files on the CD-ROM are:

| Column Name | Description | | |
|-------------|---|--|--|
| SITE_NAME | The identifier assigned to the site by BOREAS, in the format SSS-TTT-CCCCC, where SSS identifies the portion of the study area: NSA, SSA, REG, TRN, and TTT identifies the cover type for the site, 999 if unknown, and CCCCC is the identifier for site, exactly what it means will vary with site type. | | |
| SUB_SITE | The identifier assigned to the sub-site by BOREAS, in the format GGGGG-IIIII, where GGGGG is the group associated with the sub-site instrument, e.g. HYD06 or STAFF, and IIIII is the identifier for sub-site, often this will refer to an instrument. | | |
| START_DATE | The date on which the collection of data commenced. | | |
| END_DATE | The date on which the collection of the data was | | |

terminated. BROMOXYNIL CONC Concentration of bromoxynil. DICAMBA CONC Concentration of dacamba. 2,4-D CONC Concentration of 2,4-DICHLOROPHENOXYACIDIC ACID. MCPA CONC Concentration of MCPA. DICLOFOP CONC Concentration of diclofop. TRIALLATE CONC Concentration of triallate. TRIFLURALIN CONC Concentration of trifluralin. Concentration of alachlor. ALACHLOR CONC ATRAZINE CONC Concentration of atrazine. METOLACHLOR CONC Concentration of metolachlor. Concentration of alpha-hexachlorocyclohexane. ALPHA-HCH CONC GAMMA-HCH CONC Concentration of gamma-hexachlorocyclohexane. Concentration of 4,4' DDE. 4,4'-DDE CONC 4,4'-DDD CONC Concentration of 4,4' DDD. 4,4'-DDT CONC Concentration of 4,4' DDT. TETRACHLORO-BIPHENYL CONC Concentration of tetrachloro-biphenyl. PENTACHLORO-BIPHENYL CONC Concentration of pentachloro-biphenyl HEXACHLORO-BIPHENYL CONC Concentration of hexachloro-biphenyl. OCTACHLORO-BIPHENYL CONC Concentration of octachloro-biphenyl. Concentration of dichloro-biphenyl. DICHLORO-BIPHENYL CONC TRICHLORO-BIPHENYL CONC Concentration of trichloro-biphenyl. The BOREAS certification level of the data. CRTFCN CODE Examples are CPI (Checked by PI), CGR (Certified by Group), PRE (Preliminary), and CPI-??? (CPI but questionable). REVISION DATE The most recent date when the information in the

7.3.3 Unit of Measurement

The measurement units for the parameters contained in the data files on the CD-ROM are:

referenced data base table record was revised.

| Column Name | Units |
|---------------------------|-----------------------|
| SITE NAME | [none] |
| SUB SITE | [none] |
| START_DATE | [DD-MON-YY] |
| END_DATE | [DD-MON-YY] |
| BROMOXYNIL_CONC | [picograms][meter^-3] |
| DICAMBA_CONC | [picograms][meter^-3] |
| 2,4-D_CONC | [picograms][meter^-3] |
| MCPA_CONC | [picograms][meter^-3] |
| DICLOFOP_CONC | [picograms][meter^-3] |
| TRIALLATE_CONC | [picograms][meter^-3] |
| TRIFLURALIN_CONC | [picograms][meter^-3] |
| ALACHLOR_CONC | [picograms][meter^-3] |
| ATRAZINE_CONC | [picograms][meter^-3] |
| METOLACHLOR_CONC | [picograms][meter^-3] |
| ALPHA-HCH_CONC | [picograms][meter^-3] |
| GAMMA-HCH_CONC | [picograms][meter^-3] |
| 4,4'-DDE_CONC | [picograms][meter^-3] |
| 4,4'-DDD_CONC | [picograms][meter^-3] |
| 4,4'-DDT_CONC | [picograms][meter^-3] |
| TETRACHLORO-BIPHENYL_CONC | [picograms][meter^-3] |

| PENTACHLORO-BIPHENYL_CONC | [picograms][meter^-3] |
|---------------------------|-----------------------|
| HEXACHLORO-BIPHENYL_CONC | [picograms][meter^-3] |
| OCTACHLORO-BIPHENYL_CONC | [picograms][meter^-3] |
| DICHLORO-BIPHENYL_CONC | [picograms][meter^-3] |
| TRICHLORO-BIPHENYL_CONC | [picograms][meter^-3] |
| CRTFCN_CODE | [none] |
| REVISION DATE | [DD-MON-YY] |

7.3.4 Data Source

The sources of the parameter values contained in the data files on the CD-ROM are:

| Column Name | Data Source |
|---------------------------|-----------------------------------|
| SITE NAME | Assigned by BORIS Staff |
| SUB SITE | Assigned by BORIS Staff |
| END DATE | Investigator |
| BROMOXYNIL CONC | Hewlett-Packard gas chromatograph |
| DICAMBA CONC | Hewlett-Packard gas chromatograph |
| 2,4-D CONC | Hewlett-Packard gas chromatograph |
| MCPA CONC | Hewlett-Packard gas chromatograph |
| DICLOFOP CONC | Hewlett-Packard gas chromatograph |
| TRIALLATE_CONC | Hewlett-Packard gas chromatograph |
| TRIFLURALIN_CONC | Hewlett-Packard gas chromatograph |
| ALACHLOR_CONC | Hewlett-Packard gas chromatograph |
| ATRAZINE_CONC | Hewlett-Packard gas chromatograph |
| METOLACHLOR_CONC | Hewlett-Packard gas chromatograph |
| ALPHA-HCH_CONC | Hewlett-Packard gas chromatograph |
| GAMMA-HCH_CONC | Hewlett-Packard gas chromatograph |
| 4,4'-DDE_CONC | Hewlett-Packard gas chromatograph |
| 4,4'-DDD_CONC | Hewlett-Packard gas chromatograph |
| 4,4'-DDT_CONC | Hewlett-Packard gas chromatograph |
| TETRACHLORO-BIPHENYL_CONC | Hewlett-Packard gas chromatograph |
| PENTACHLORO-BIPHENYL_CONC | Hewlett-Packard gas chromatograph |
| HEXACHLORO-BIPHENYL_CONC | Hewlett-Packard gas chromatograph |
| OCTACHLORO-BIPHENYL_CONC | Hewlett-Packard gas chromatograph |
| DICHLORO-BIPHENYL_CONC | Hewlett-Packard gas chromatograph |
| TRICHLORO-BIPHENYL_CONC | Hewlett-Packard gas chromatograph |
| CRTFCN_CODE | Assigned by BORIS Staff |
| REVISION_DATE | Assigned by BORIS Staff |

7.3.5 Data Range

The following table gives information about the parameter values found in the data files on the CD-ROM.

| Column Name | Minimum Data Value | Maximum Data Value | Missng Data Value | Unrel Data Value | Below Detect Limit | Data Not Cllctd |
|-----------------|--------------------------|--------------------------|-------------------------|------------------------|--------------------------|-----------------------|
| SITE NAME | SSA-999-WSK05 | SSA-999-WSK05 | None | None | None | None |
| SUB SITE | TGB07-CON01 | TGB07-CON01 | None | None | None | None |
| START DATE | 16-JUN-93 | 13-JUL-94 | None | None | None | None |
| END DATE | 21-JUN-93 | 20-JUL-94 | None | None | None | None |
| BROMOXYNIL CONC | 13 | 139 | -999 | None | -777 | None |
| DICAMBA CONC | | | -999 | None | -777 | None |
| 2,4-D CONC | 69 | 243 | -999 | None | -777 | None |

| MCPA_CONC | 16 | 16 | -999 | None | -777 | None |
|----------------------|-----------|-----------|------|------|------|------|
| DICLOFOP_CONC | | | -999 | None | -777 | None |
| TRIALLATE_CONC | 35 | 344 | -999 | None | -777 | None |
| TRIFLURALIN_CONC | 61 | 658 | -999 | None | -777 | None |
| ALACHLOR_CONC | | | -999 | None | -777 | None |
| ATRAZINE_CONC | | | -999 | None | -777 | None |
| METOLACHLOR_CONC | 26 | 27 | -999 | None | -777 | None |
| ALPHA-HCH_CONC | | | -999 | None | None | None |
| GAMMA-HCH_CONC | | | -999 | None | -777 | None |
| 4,4'-DDE_CONC | | | -999 | None | -777 | None |
| 4,4'-DDD_CONC | 8.98 | 48.87 | -999 | None | -777 | None |
| 4,4'-DDT_CONC | | | -999 | None | -777 | None |
| TETRACHLORO- | 48 | 48 | -999 | None | -777 | None |
| BIPHENYL_CONC | | | | | | |
| PENTACHLORO- | 8 | 11 | -999 | None | -777 | None |
| BIPHENYL_CONC | | | | | | |
| HEXACHLORO-BIPHENYL_ | 28 | 28 | -999 | None | -777 | None |
| CONC | | | | | | |
| OCTACHLORO-BIPHENYL_ | | | -999 | None | -777 | None |
| CONC | | | | | | |
| DICHLORO-BIPHENYL_ | 10.47 | 10.47 | -999 | None | -777 | None |
| CONC | | | | | | |
| TRICHLORO-BIPHENYL_ | | | -999 | None | -777 | None |
| CONC | | | | | | |
| CRTFCN_CODE | CPI | CPI | None | None | None | None |
| REVISION_DATE | 28-AUG-98 | 28-AUG-98 | None | None | None | None |
| | | | | | | |

Minimum Data Value -- The minimum value found in the column.

Maximum Data Value -- The maximum value found in the column.

Missng Data Value -- The value that indicates missing data. This is used to indicate that an attempt was made to determine the parameter value, but the attempt was unsuccessful.

Unrel Data Value -- The value that indicates unreliable data. This is used to indicate an attempt was made to determine the parameter value, but the value was deemed to be unreliable by the analysis personnel.

Below Detect Limit -- The value that indicates parameter values below the instruments detection limits. This is used to indicate that an attempt was made to determine the parameter value, but the analysis personnel determined that the parameter value was below the detection limit of the instrumentation.

Data Not Cllctd -- This value indicates that no attempt was made to determine the parameter value. This usually indicates that BORIS combined several similar but not identical data sets into the same data base table but this particular science team did not measure that parameter.

Blank -- Indicates that blank spaces are used to denote that type of value. $\rm N/A$ $\,$ -- Indicates that the value is not applicable to the respective column.

None -- Indicates that no values of that sort were found in the column.

7.4 Sample Data Record

The following are wrapped versions of data record from a sample data file on the CD-ROM.

8. Data Organization

8.1 Data Granularity

The smallest unit of data tracked by BORIS was the herbicide concentration in the air sample for a given site in a given sampling period.

8.2 Data Format(s)

The Compact Disk-Read-Only Memory (CD-ROM) files contain American Standard Code for Information Interchange (ASCII) numerical and character fields of varying length separated by commas. The character fields are enclosed with single apostrophe marks. There are no spaces between the fields.

Each data file on the CD-ROM has four header lines of Hyper-Text Markup Language (HTML) code at the top. When viewed with a Web browser, this code displays header information (data set title, location, date, acknowledgments, etc.) and a series of HTML links to associated data files and related data sets. Line 5 of each data file is a list of the column names, and line 6 and following lines contain the actual data.

9. Data Manipulations

9.1 Formulae

9.1.1 Derivation Techniques and Algorithms None given.

9.2 Data Processing Sequence

9.2.1 Processing Steps

None given.

9.2.2 Processing Changes

None given.

9.3 Calculations

9.3.1 Special Corrections/Adjustments

None given.

9.3.2 Calculated Variables

None given.

9.4 Graphs and Plots

None given.

10. Errors

10.1 Sources of Error

Irreproducible packing of the XAD-2 resin column.

10.2 Quality Assessment

Standard laboratory procedures involving blanks, spikes and replicates.

10.2.1 Data Validation by Source

None given.

10.2.2 Confidence Level/Accuracy Judgment

None given.

10.2.3 Measurement Error for Parameters

None given.

10.2.4 Additional Quality Assessments

None given.

10.2.5 Data Verification by Data Center

The data were examined for general consistency and clarity.

11. Notes

11.1 Limitations of the Data

None given.

11.2 Known Problems with the Data

None given.

11.3 Usage Guidance

None given.

11.4 Other Relevant Information

None given.

12. Application of the Data Set

The data can be used to quantify the trace organic contaminants entering the site from atmospheric transport and identify chemicals that require further research.

13. Future Modifications and Plans

None given.

14. Software

14.1 Software Description

None given.

14.2 Software Access

None given.

15. Data Access

The ambient air herbicide and organochlorine concentration data are available from the Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC).

15.1 Contact Information

For BOREAS data and documentation please contact:

ORNL DAAC User Services
Oak Ridge National Laboratory
P.O. Box 2008 MS-6407
Oak Ridge, TN 37831-6407

Phone: (423) 241-3952 Fax: (423) 574-4665

E-mail: ornldaac@ornl.gov or ornl@eos.nasa.gov

15.2 Data Center Identification

Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC) for Biogeochemical Dynamics http://www-eosdis.ornl.gov/.

15.3 Procedures for Obtaining Data

Users may obtain data directly through the ORNL DAAC online search and order system [http://www-eosdis.ornl.gov/] and the anonymous FTP site [ftp://www-eosdis.ornl.gov/data/] or by contacting User Services by electronic mail, telephone, fax, letter, or personal visit using the contact information in Section 15.1.

15.4 Data Center Status/Plans

The ORNL DAAC is the primary source for BOREAS field measurement, image, GIS, and hardcopy data products. The BOREAS CD-ROM and data referenced or listed in inventories on the CD-ROM are available from the ORNL DAAC.

16. Output Products and Availability

16.1 Tape Products None.

16.2 Film Products

None.

16.3 Other Products

These data are available on the BOREAS CD-ROM series.

17. References

17.1 Platform/Sensor/Instrument/Data Processing Documentation None given.

17.2 Journal Articles and Study Reports

Cessna, A.J., D.T. Waite, and M. Constable. 1997. Concentrations of pentachlorophenol in atmospheric samples from three Canadian locations, 1994. Bull. Environ. Contamin. Toxicol. 58, 651-658.

Cessna, A.J., R. Grover, L.A. Kerr, and M.L. Aldred. 1985. A multiresidue method for the analysis and verification of several herbicides in water. J. Agric. Food Chem. 33, 504-507.

Grover, R., A.E. Smith, and A.J. Cessna. 1994. Fate of bromoxynil n-butyrate and iso-octanoate applied as a mixture to a wheat field. J. Environ. Qual. 23(6), 1304-1311.

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. 2000. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM.

Sellers, P. and F. Hall. 1994. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1994-3.0, NASA BOREAS Report (EXPLAN 94).

Sellers, P. and F. Hall. 1996. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1996-2.0, NASA BOREAS Report (EXPLAN 96).

Sellers, P., F. Hall, and K.F. Huemmrich. 1996. Boreal Ecosystem-Atmosphere Study: 1994 Operations. NASA BOREAS Report (OPS DOC 94).

Sellers, P., F. Hall, and K.F. Huemmrich. 1997. Boreal Ecosystem-Atmosphere Study: 1996 Operations. NASA BOREAS Report (OPS DOC 96).

Sellers, P., F. Hall, H. Margolis, B. Kelly, D. Baldocchi, G. den Hartog, J. Cihlar, M.G. Ryan, B. Goodison, P. Crill, K.J. Ranson, D. Lettenmaier, and D.E. Wickland. 1995. The boreal ecosystem-atmosphere study (BOREAS): an overview and early results from the 1994 field year. Bulletin of the American Meteorological Society. 76(9):1549-1577.

Sellers, P.J., F.G. Hall, R.D. Kelly, A. Black, D. Baldocchi, J. Berry, M. Ryan, K.J. Ranson, P.M. Crill, D.P. Lettenmaier, H. Margolis, J. Cihlar, J. Newcomer, D. Fitzjarrald, P.G. Jarvis, S.T. Gower, D. Halliwell, D. Williams, B. Goodison, D.E. Wickland, and F.E. Guertin. 1997. BOREAS in 1997: Experiment Overview, Scientific Results and Future Directions. Journal of Geophysical Research 102(D24): 28,731-28,770.

Thompson, T.S., R.G. Treble, D.T. Waite, and A.J. Cessna. 1997. Identification of pentachloronitrobenzene in ambient air extracts. Bull. Environ. Toxicol. Chem. 58:939-944.

Waite, D.T., A.J. Cessna, N.P. Gurprasad, and J. Banner. ____. Evaluation of a new sampler for collecting separate dry and wet atmospheric depositions of trace organic chemicals. Atmos. Environ. Accepted.

Waite, D.T., N.P. Gurprasad, A.J. Cessna, and D.V. Quiring. ____. Atmospheric pentachlorophenol concentrations in relation to air temperature at five Canadian locations. Chemosphere. Accepted.

Waite, D.T., N.P. Gurprasad, and M.B. Constable. 1996 Concentrations of pentachlorophenol and some related compounds in seasonally collected atmospheric samples from five Canadian locations. Organohalogen Compds. 28:482-489.

17.3 Archive/DBMS Usage Documentation None.

18. Glossary of Terms

None given.

19. List of Acronyms

ASCII - American Standard for Information Interchange BOREAS - BOReal Ecosystem-Atmosphere Study BORIS - BOREAS Information System CD-ROM - Compact Disk-Read-Only Memory DAAC - Distributed Active Archive Center EOS - Earth Observing System EOSDIS - EOS Data and Information System GC-MSD - Gas Chromatograph - Mass Selective Detector - Geographic Information System GIS GSFC - Goddard Space Flight Center HTML - HyperText Markup Language NASA - National Aeronautics and Space Administration NMHC - Nonmethane Hydrocarbon NSA - Northern Study Area OA - Old Aspen OBS - Old Black Spruce OJP - Old Jack Pine ORNL - Oak Ridge National Laboratory PANP - Prince Albert National Park PUF - Polyurethane Foam Southern Study AreaTrace Gas BiogeochemistryUniform Resource Locator SSA TGB - Trace Gas Biogeochemistry URL

20. Document Information

20.1 Document Revision Date

Written: 04-Dec-1997 Last updated: 04-Aug-1999

20.2 Document Review Date(s)

BORIS Review: 27-Aug-1998

Science Review:

20.3 Document ID

20.4 Citation

When using these data, please contact one of the individuals listed in Section 2.3 and as well as citing relevant papers in Section 17.2.

If using data from the BOREAS CD-ROM series, also reference the data as:

Waite, D., A. Cessna, and N. Gurprasad, "Atmospheric Transport of Agricultural Pesticides into the Boreal Ecosystem." In Collected Data of The Boreal Ecosystem-Atmosphere Study. Eds. J. Newcomer, D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers. CD-ROM. NASA, 2000.

Also, cite the BOREAS CD-ROM set as:

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM. NASA, 2000.

20.5 Document Curator

20.6 Document URL

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

| 1. AGENCY USE ONLY (Leave blank) | GENCY USE ONLY (Leave blank) 2. REPORT DATE November 2000 3. REPORT TYPE AND DATES COVERED Technical Memorandum | | | | | | |
|--|---|-------------------|---|--|--|--|--|
| 4. TITLE AND SUBTITLE The bridge I Deposit Series on the De | 5. FUNDING NUMBERS | | | | | | |
| Technical Report Series on the Bo | | | | | | | |
| TGB-7 Ambient Air Herbicid | e and Organochlorine Co | ncentration Data | 923 | | | | |
| 6. AUTHOR(S) | | | RTOP: 923-462-33-01 | | | | |
| Don Waite | | | | | | | |
| Forrest G. Hall and Sara K. C | onrad, Editors | | | | | | |
| 7. PERFORMING ORGANIZATION NAME | E(S) AND ADDRESS (ES) | | 8. PEFORMING ORGANIZATION REPORT NUMBER | | | | |
| Goddard Space Flight Center | | | | | | | |
| Greenbelt, Maryland 20771 | | | 2000-03136-0 | | | | |
| | | | | | | | |
| 9. SPONSORING / MONITORING AGE | NCY NAME(S) AND ADDRESS | (ES) | 10. SPONSORING / MONITORING AGENCY REPORT NUMBER | | | | |
| National Aeronautics and Space | Administration | | TM-2000-209891 | | | | |
| Washington, DC 20546-0001 | | | Vol. 234 | | | | |
| | | | | | | | |
| 11. SUPPLEMENTARY NOTES | | | | | | | |
| D. Waite: Environment Canad | la, Regina, Saskatchewar | ; S.K. Conrad: Ra | aytheon ITSS | | | | |
| | | | | | | | |
| 12a. DISTRIBUTION / AVAILABILITY STA | TEMENT | | 12b. DISTRIBUTION CODE | | | | |
| Unclassified–Unlimited | | | | | | | |
| Subject Category: 43 | | .• | | | | | |
| Report available from the NASA | * | | | | | | |
| 7121 Standard Drive, Hanover, | | | | | | | |

13. ABSTRACT (Maximum 200 words)

The BOREAS TGB-7 team measured the concentration and flux of several agricultural pesticides in air, rainwater, and dry deposition samples in order to determine the associated yearly deposition rates. This data set contains information on the ambient air concentration of seven herbicides [2,4-dichlorophenoxyacidic_acid (2,4-D), bromoxynil, dicamb, 2-methyl-4-chlorophenoxyacetic acid (MCPA), triallate, trifluralin, and diclop-methyl] known to appear in the atmosphere of the Canadian prairies. Also, the concentration of three herbicides (atrazine, alachlor, and metolachlor), two groups of insecticides (lindane and breakdown products and dichloro-diphenyl-trichloroethane (DDT) and breakdown products), and several polychlorinated biphenyls commonly used in the central United States was measured. All of these chemicals are reported, in the literature, to be transported in the atmosphere. Many have been reported to occur in boreal and arctic food chains. The sampling was carried out from 16-Jun to 13-Aug-1993 and 04-May to 20-Jul-1994 at the BOREAS site in the Prince Albert National Park (Waskesiu). The data are stored in tabular ASCII files.

| 14. SUBJECT TERMS BOREAS, trace gas biog | 15. NUMBER OF PAGES 15 | | |
|--|------------------------|---|----------------------------|
| | 16. PRICE CODE | | |
| 17. SECURITY CLASSIFICATION OF REPORT | OF THIS PAGE | 19. SECURITY CLASSIFICATION OF ABSTRACT | 20. LIMITATION OF ABSTRACT |
| Unclassified | Unclassified | Unclassified | UL |